



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 7200			
POTASSIUM HYDROXIDE 0.5 NORMAL AQUEOUS NIST TRACEABLE			
Test	Target/UOM	Range	Result
<b>N.I.S.T. Traceable to SRM 723 THAM</b>			
	Yes		YES
	YES		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>SAMPLE COLLECTION &amp; HANDLING</b>			
	YES		YES
<b>PER LAB040</b>			
	YES		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>DATE OF SAMPLING FOR TEST</b>			
	MM/DD/YYYY		05/14/2024
<b>PURPOSES</b>			
	MM/DD/YYYY		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>AMBIENT TEMPERATURE DURING</b>			
	25.0	10.0 - 35.0	21.0
<b>SAMPLING DEGC</b>			
	DEG C		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>DATE OF TESTING OF SAMPLE</b>			
	MM/DD/YYYY		05/14/2024
	MM/DD/YYYY		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>AMBIENT TEST TEMPERATURE</b>			
	20.0	15.0 - 30.0	21.0
<b>DEG C</b>			
	DEG C		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>QCSP7: STANDARDIZATION OF</b>			
	YES		YES
<b>AQUEOUS BASES</b>			
	METHOD		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			
<b>Actual Normality</b>			
	0.5000	0.4995 - 0.5005	0.4999
	EQ/L		
Sample ID			
Tested 05/14/24			
Tester BPHI			
Recorded 05/14/24			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>PREPARED TO FORMULATION ON FILE</b>	YES YES	YES
Sample ID		
Tested	05/14/24	
Tester	BPHI	
Recorded	05/14/24	
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE	PASS
Sample ID		
Tested	05/14/24	
Tester	BPHI	
Recorded	05/14/24	
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT	M87,T57
Sample ID		
Tested	05/14/24	
Tester	BPHI	
Recorded	05/14/24	
<b>Actual Density</b>	1.02312 GM/ML	1.02275 - 1.02349 1.02321
Sample ID		
Tested	05/14/24	
Tester	BPHI	
Recorded	05/14/24	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	05/30/26
Sample ID		
Tested	05/14/24	
Tester	BPHI	
Recorded	05/14/24	
<b>SHELF LIFE OF PRODUCT</b>	2 YEARS TIME	2 YEARS
Sample ID		
Tested	05/14/24	
Tester	BPHI	
Recorded	05/14/24	
<b>Lot #</b>	4051418	
<b>Made</b>	05/14/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 05/14/24 at 2:34 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**