



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S5222			
STARCH SOLUBLE REAGENT ACS POWDER			
Test	Target/UOM	Range	Result
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 05/26/23			
Tester TBUR			
Recorded 05/26/23			
PH OF A 2% SOLUTION	5.0 - 7.0 @25°C PH		6.84 DEG C
Sample ID			
Tested 05/26/23			
Tester TBUR			
Recorded 05/26/23			
RESIDUE OF IGNITION	MAX 0.4% RESIDUEIGN		0.3%
Sample ID			
Tested 05/26/23			
Tester TBUR			
Recorded 05/26/23			
SENSITIVITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 05/26/23			
Tester TBUR			
Recorded 05/26/23			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		03/30/26
Sample ID			
Tested 05/26/23			
Tester TBUR			
Recorded 05/26/23			
SHELF LIFE OF PRODUCT	SHELF LIFE TIME		3 YEARS
Sample ID			
Tested 05/26/23			
Tester TBUR			
Recorded 05/26/23			
Lot # 314505			
Made 05/25/23			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 05/26/23 at 8:45 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager