



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> C3605 CHLOROFORM REAGENT ACS (ETHANOL STABILIZED)			
<b>ASSAY OF MATERIAL</b>	>= 99.8% %		99.99%
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.001% RESEVAP		<0.0001%
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>APHA COLOR</b>	10 UNITS APHA	0 - 10	10
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>ACETONE AND ALDEHYDE</b>	PASSES TEST ACETON		PASSES TEST
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>ACIDITY</b>	PASSES TEST ML		PASSES TEST
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>FREE CHLORINE (CL)</b>	PASSES TEST PPM		PASSES TEST
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>LEAD (PB) CONTENT</b>	MAX PPM 0.05 MG/L		<0.05 PPM
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			
<b>SUBSTANCES DARKENED BY SULFURIC ACID</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 05/14/24			
Tester TBUR			
Recorded 05/14/24			



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 05/14/24 at 11:01 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>MANUFACTURE DATE</b>	MM/DD/YYYY	03/14/2024
Sample ID		
Tested	05/14/24	
Tester	TBUR	
Recorded	05/14/24	
<b>Lot #</b>	413104	
<b>Made</b>	05/10/24	

**Quality Manager**