



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S2412			
SODIUM ACETATE TRIHYDRATE, ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	99.0 - 101%		99.3%
	%		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
PH OF A 5% SOLUTION	8.500	7.500 - 9.200	8.500
	PH		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
INSOLUBLE MATTER	<= 0.005%		0.002%
	%		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
CHLORIDE CONTENT	<= 0.001%		<0.001%
	PPM		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
PHOSPHATE CONTENT	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
SULFATE (SO4) CONTENT	MAX 0.002%		<0.002%
	MAX 60 MG/KG		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		
IRON	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested	03/19/24		
Tester	TBUR		
Recorded	03/19/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

CALCIUM CONTENT	MAX 0.005% PPM	0.001%
Sample ID		
Tested	03/19/24	
Tester	TBUR	
Recorded	03/19/24	
MAGNESIUM (MG) CONTENT	MAX 0.002% PPM	0.0003%
Sample ID		
Tested	03/19/24	
Tester	TBUR	
Recorded	03/19/24	
POTASSIUM CONTENT	MAX 0.005% PPM	0.001%
Sample ID		
Tested	03/19/24	
Tester	TBUR	
Recorded	03/19/24	
HEAVY METALS (AS LEAD)	< 5 PPM PPM	<5 PPM
Sample ID		
Tested	03/19/24	
Tester	TBUR	
Recorded	03/19/24	

Lot # 407501
Made 03/15/24

Quality Manager