



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P2501			
4-PICOLINE, 98%			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 98.5%		99.1%
	%		
Sample ID			
Tested 04/15/24			
Tester TBUR			
Recorded 04/15/24			
APPEARANCE AND COLOR	CLEAR YELLOW LIQUID APPEARANCE		CLEAR LIGHT YELLOW
Sample ID			
Tested 04/15/24			
Tester TBUR			
Recorded 04/15/24			
INFRARED	AUTHENTIC INFRARED		CONFORMS
Sample ID			
Tested 04/15/24			
Tester TBUR			
Recorded 04/15/24			
WATER CONTENT	MAX 0.062%		0.1%
	%		
Sample ID			
Tested 04/15/24			
Tester TBUR			
Recorded 04/15/24			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		03/13/2026
Sample ID			
Tested 04/15/24			
Tester TBUR			
Recorded 04/15/24			
Lot # 410109			
Made 04/10/24			

Richard [Signature]
Quality Manager