



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> E2049			
ERIOCHROME BLACK T INDICATOR GRADE			
Test	Target/UOM	Range	Result
<b>APPEARANCE</b>	BROWNISH-BLACK POWDER		YELLOW POWDER
Sample ID			
Tested	02/29/24		
Tester	TBUR		
Recorded	02/29/24		
<b>INFRARED SPECTRUM</b>	AUTHENTIC		CONFORMS
Sample ID			
Tested	02/29/24		
Tester	TBUR		
Recorded	02/29/24		
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY		01/31/2028
Sample ID			
Tested	02/29/24		
Tester	TBUR		
Recorded	02/29/24		
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME		5 YEARS
Sample ID			
Tested	02/29/24		
Tester	TBUR		
Recorded	02/29/24		
<b>Lot #</b>	405906		
<b>Made</b>	02/28/24		

*Richard Frost*

**Quality Manager**