



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> I7604			
ISOPROPYL ALCOHOL HPLC GRADE			
Test	Target/UOM	Range	Result
<b>UV CUTOFF</b>	204 NM NM		202.3 NM
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>REFRACTIVE INDEX</b>	1.3760 REFRACTIVE INDE	1.3760 - 1.3800	1.3770
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>ASSAY OF MATERIAL</b>	MIN 99.5% %		>99.99%
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>ELECTRON CAPTURE GC</b>	PASSES TEST ELECTRONCA		PASSES TEST
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>WATER CONTENT</b>	MAX 0.05% %		0.0074%
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 1 PPM RESEVAP		<0.5 PPM
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY		10/27/2023
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
<b>Lot #</b>	331706		
<b>Made</b>	11/13/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 11/17/23 at 9:45 AM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Quality Manager**