



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

| Packaged Product: B0360 | | | |
|-------------------------------------|-----------------------|------------|----------|
| BARIUM CHLORIDE REAGENT ACS CRYSTAL | | | |
| Test | Target/UOM | Range | Result |
| ASSAY OF MATERIAL | >= 99.0% | | 99.86% |
| | % | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| LOSS ON DRYING | 14.0 | 0.0 - 16.0 | 14.1 |
| | % | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| PH OF A 5% SOLUTION | 5.2 - 8.2 AT 25 DEG C | | 5.46 |
| | PH | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| INSOLUBLE MATTER | MAX 0.005% | | 0.004% |
| | % | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| OXIDIZING SUBSTANCES | MAX 0.005% | | <0.005% |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| CALCIUM CONTENT | MAX 0.05% | | <0.005% |
| | PPM | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| POTASSIUM CONTENT | MAX 0.0025% | | <0.0025% |
| | PPM | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |
| SODIUM CONTENT | MAX 0.005% | | <0.005% |
| | % | | |
| Sample ID | | | |
| Tested | 05/14/24 | | |
| Tester | TBUR | | |
| Recorded | 05/14/24 | | |



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

| | | |
|------------------------------|------------------------|------------|
| STRONTIUM CONTENT | MAX 0.1% % | <0.05% |
| Sample ID | | |
| Tested | 05/14/24 | |
| Tester | TBUR | |
| Recorded | 05/14/24 | |
| HEAVY METAL (AS PB) | MAX PPM 5 PPM | <5 PPM |
| Sample ID | | |
| Tested | 05/14/24 | |
| Tester | TBUR | |
| Recorded | 05/14/24 | |
| IRON | MAX PPM 2 PPM | <1 PPM |
| Sample ID | | |
| Tested | 05/14/24 | |
| Tester | TBUR | |
| Recorded | 05/14/24 | |
| EXPIRATION DATE | MM/DD/YY MM/DD/YYYY | 12/30/2026 |
| Sample ID | | |
| Tested | 05/14/24 | |
| Tester | TBUR | |
| Recorded | 05/14/24 | |
| SHELF LIFE OF PRODUCT | SHELF LIFE TIME | 2 YEARS |
| Sample ID | | |
| Tested | 05/14/24 | |
| Tester | TBUR | |
| Recorded | 05/14/24 | |
| MANUFACTURE DATE | MM/DD/YY MM/DD/YYYY | 01/30/2024 |
| Sample ID | | |
| Tested | 05/14/24 | |
| Tester | TBUR | |
| Recorded | 05/14/24 | |
| Lot # | 413012 | |
| Made | 05/09/24 | |

Quality Manager