

## Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

## Customer PO # :

Packaged Product	D4771			
-		PYLAMINE 99.5% (319LBS	/DRUM)	
Test		Target/UOM	Range	Result
PURITY, WT%		>/= 99.5%		99.99%
		% W/W		
Sample ID				
Tested	08/29/23			
Tester	TBUR			
Recorded WATER CONTENT	08/29/23	0.1%		0.0000/
WATER CONTENT		<0.1%		0.006%
O and a ID		%		
Sample ID	00/00/00			
Tested	08/29/23			
Tester	TBUR			
Recorded	08/29/23	./ 15		
COLOR		= 15<br PT CO		<10 APHA
0		PT-CO		
Sample ID	00/00/00			
Tested	08/29/23			
Tester	TBUR			
Recorded	08/29/23	= 0.1%</td <td></td> <td>&lt;0.0030%</td>		<0.0030%
MONOETHANOLAMINE		= 0.1%<br %		<0.0030%
		%		
Sample ID				
Tested	08/29/23			
Tester	TBUR			
	08/29/23	=0.1%</td <td></td> <td>&lt;0.1000%</td>		<0.1000%
N-ISOPROPYLIDENE-IS	SOPROPILA			<0.1000%
MINE		%		
Sample ID				
Tested	08/29/23			
Tester	TBUR			
	08/29/23	./ 0.10%		0.0030%
ACETONE %		=0.10%</td <td></td> <td>0.0030%</td>		0.0030%
0		%		
Sample ID Tested	00/00/02			
	08/29/23			
Tester Recorded	TBUR 08/29/23			
ISOPROPANOL	00/23/20	=0.2% WT</td <td></td> <td>&lt;=0.1000%</td>		<=0.1000%
ISUFNUFANUL		=0.2 % W I<br %		~=0.1000 /6
Sample ID		/0		
Tested	08/29/23			
Tester	08/29/23 TBUR			
Recorded	08/29/23			
FREE FROM SUSPEND		ОК		OK
		PASS		
Sample ID		1760		
Tested	08/29/23			
Tester	08/29/23 TBUR			
Recorded	08/29/23			
riccorded	50/20/20			



Page: 2 Date: 08/29/23 at 9:24 AM

## Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO # :

Lot # 324001 Made 08/28/23

hichard Stol

**Quality Manager**