



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b>	EM-TX0282-1		
	TETRAHYDROFURAN OmniSolv(w/BHT) (4 LITERS)		
<b>ASSAY OF MATERIAL</b>	MIN 99.9%		99.95%
	%		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>COLOR</b>	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>FILTERED THROUGH 0.2 UM FILTER?</b>	PASSES TEST YES		PASSES TEST
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>FORM</b>	CLEAR LIQUID FORM		CLEAR LIQUID
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>IDENTITY</b>	CONFORMS PASS		CONFORMS
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>PEROXIDE</b>	MAX 0.01% PEROXIDE		0.004%
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>STABILIZER</b>	MAX 0.0310% STABILIZER		0.023%
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
<b>TITRABLE ACID</b>	MAX 1.0 UEQ/G TITRABLE		0.80 UEQ/G
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>WATER CONTENT</b>	MAX 0.03%	0.0031%
	%	
Sample ID		
Tested 09/12/23		
Tester TBUR		
Recorded 09/12/23		
<b>REFRACTIVE INDEX (20 DEG C)</b>	<b>REFRACT</b>	<b>1.4073</b>
Sample ID		
Tested 09/12/23		
Tester TBUR		
Recorded 09/12/23		
<b>Lot #</b> 325404		
<b>Made</b> 09/11/23		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**