



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S2193			
SILVER SULFATE REAGENT ACS POWDER			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 98.0%		98.0%
	%		
Sample ID			
Tested 07/18/23			
Tester TBUR			
Recorded 07/18/23			
NITRATE (NO3) CONTENT	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested 07/18/23			
Tester TBUR			
Recorded 07/18/23			
IRON	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested 07/18/23			
Tester TBUR			
Recorded 07/18/23			
INSOLUBLE MATTER AND SILVER CHLORIDE	MAX 0.02%		<0.02%
Sample ID			
Tested 07/18/23			
Tester TBUR			
Recorded 07/18/23			
SUBSTANCES NOT PRECIPITATION BY HCL	MAX 0.03%		<0.03%
	%		
Sample ID			
Tested 07/18/23			
Tester TBUR			
Recorded 07/18/23			
Lot # 319815			
Made 07/17/23			

Richard [Signature]
Quality Manager