



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A1519			
ACETONITRILE REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		>99.99%
	%		
Sample ID			
Tested	05/14/24		
Tester	TBUR		
Recorded	05/14/24		
TITRABLE ACID	MAX 8 UEQ/G		0.30 UEQ/G
	T ACID		
Sample ID			
Tested	05/14/24		
Tester	TBUR		
Recorded	05/14/24		
TITRABLE BASE	MAX 0.6 UEQ/G		<0.01 UEQ/G
	T BASE		
Sample ID			
Tested	05/14/24		
Tester	TBUR		
Recorded	05/14/24		
WATER CONTENT	MAX 0.3%		0.005%
	%		
Sample ID			
Tested	05/14/24		
Tester	TBUR		
Recorded	05/14/24		
COLOR	MAX 10 APHA		<10 APHA
	PT-CO		
Sample ID			
Tested	05/14/24		
Tester	TBUR		
Recorded	05/14/24		
RESIDUE AFTER EVAPORATION	MAX 0.005%		<0.0005%
Sample ID			
Tested	05/14/24		
Tester	TBUR		
Recorded	05/14/24		
Lot #	412718		
Made	05/06/24		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 05/14/24 at 1:09 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager