



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: M2523 METHANOL HPLC GRADE			
ASSAY OF MATERIAL	99.9% %		99.99%
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
APPEARANCE AND COLOR	CLEAR APPEARANCE		CLEAR COLORLESS LIQUID
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
WATER CONTENT	<=0.1% %		0.01%
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
SUBSTANCES DARKENED BY SULFURIC ACID	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
COLOR	< 10 PT-CO		<5 APHA
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			
CARBONYL COMPOUNDS	< 0.001% CARBON COM		<0.001%
Sample ID			
Tested 04/05/24			
Tester TBUR			
Recorded 04/05/24			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

TITRABLE ACID	< 0.0003 MEQ/G T ACID	0.0003 MEQ/G
Sample ID		
Tested	04/05/24	
Tester	TBUR	
Recorded	04/05/24	
TITRABLE BASE	< 0.0002 MEQ/G T BASE	0.00003 MEQ/G
Sample ID		
Tested	04/05/24	
Tester	TBUR	
Recorded	04/05/24	
REFRACTIVE INDEX (20 DEG C)	1.3280 - 1.3290 REFRACT	1.3265
Sample ID		
Tested	04/05/24	
Tester	TBUR	
Recorded	04/05/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	01/30/2029
Sample ID		
Tested	04/05/24	
Tester	TBUR	
Recorded	04/05/24	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	02/01/2024
Sample ID		
Tested	04/05/24	
Tester	TBUR	
Recorded	04/05/24	
SHELF LIFE OF PRODUCT	5 YEARS TIME	5 YEARS
Sample ID		
Tested	04/05/24	
Tester	TBUR	
Recorded	04/05/24	
Lot #	409507	
Made	04/04/24	

Richard [Signature]

Quality Manager