



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: M2115			
MERCURIC ACETATE REAG ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 98.0%		99.52%
	%		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
INSOLUBLE MATTER	MAX 0.01%		0.007%
	%		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
CHLORIDE CONTENT	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
NITRATE (NO3) CONTENT	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
SULFATE (SO4) CONTENT	MAX 0.005%		<0.005%
	MAX 60 MG/KG		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
OTHER HEAVY METALS (AS PB)	MAX 0.002%		<0.002%
	PPM		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
IRON	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
MERCUROUS MERCURY (AS HG)	MAX 0.4%		<0.12%
	PPM		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

RESIDUE AFTER REDUCTION	MAX 0.02%	0.008%
Sample ID		
Tested	01/22/24	
Tester	TBUR	
Recorded	01/22/24	
MANUFACTURE DATE	MM/DD/YY	03/02/2023
	MM/DD/YYYY	
Sample ID		
Tested	01/22/24	
Tester	TBUR	
Recorded	01/22/24	
EXPIRATION DATE	MM/DD/YY	02/28/2028
	MM/DD/YYYY	
Sample ID		
Tested	01/22/24	
Tester	TBUR	
Recorded	01/22/24	
SHELF LIFE OF PRODUCT	5 YEARS	5 YEARS
	TIME	
Sample ID		
Tested	01/22/24	
Tester	TBUR	
Recorded	01/22/24	
Lot #	401922	
Made	01/19/24	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



Quality Manager