



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: N3602			
Ninhydrin, 99%, Alfa Aesar™			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	PALE YELLOW CRYSTALLINE POWDER APPEARANCE		PALE CREAM CRYSTALLINE POWDER
Sample ID			
Tested	03/08/23		
Tester	TBUR		
Recorded	03/08/23		
WATER (BY KARL FISHER)	9.21% %		10.29%
Sample ID			
Tested	03/08/23		
Tester	TBUR		
Recorded	03/08/23		
MELTING POINT	252°C DEG		255 DEG C
Sample ID			
Tested	03/08/23		
Tester	TBUR		
Recorded	03/08/23		
ASSAY (HPLC)	99.9% 99.9%		99.7%
Sample ID			
Tested	03/08/23		
Tester	TBUR		
Recorded	03/08/23		
IDENTIFICATION (FTIR)	CONFORMS		CONFORMS
Sample ID			
Tested	03/08/23		
Tester	TBUR		
Recorded	03/08/23		
Lot #	306611		
Made	03/07/23		

Quality Manager