



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: B1856			
BENZALKONIUM CHLORIDE 50wt% (440 LBS/DR)			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR	COLORLESS TO LIGHT YELLOW APPEARANCE		CLEAR COLORLESS
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
FORM	SOLUTION FORM		SOLUTION
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
Argentometric Titration Assay	50 ASSAY W/W%	49 - 52	50
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
Ph 10% Solution in water	7 PH	6 - 9	7
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
Impurity	<=2% FREE AMINE + AMINE HCL VARIABLE		1% FREE AMINE+ HCl (M.W.=226/262.5)
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
Lot #	401919		
Made	01/19/24		

Richard [Signature]

Quality Manager