



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> P6890			
POTASSIUM SULFATE RGNT ACS GRANULAR			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 99.0%		99.71%
	%		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>PH OF A 5% SOLUTION</b>	5.5 - 8.5 AT 25 DEG C		6.21 DEG C
	PH		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>INSOLUBLE MATTER</b>	MAX 0.01%		0.003%
	%		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>CHLORIDE CONTENT</b>	MAX 0.001%		< 0.001%
	PPM		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>NITROGEN COMPOUNDS (AS N)</b>	MAX 5 PPM		< 5 PPM
	%		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>HEAVY METAL (AS PB)</b>	MAX 5 PPM		< 5 PPM
	PPM		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>IRON</b>	MAX 5 PPM		< 5 PPM
	PPM		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		
<b>CALCIUM CONTENT</b>	MAX 0.01%		0.0028%
	PPM		
Sample ID			
Tested	10/20/15		
Tester	LEAT		
Recorded	10/20/15		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 03/04/24 at 1:05 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**MAGNESIUM (MG) CONTENT**

MAX 0.005%

0.0014%

PPM

Sample ID

Tested 10/20/15

Tester LEAT

Recorded 10/20/15

**SODIUM CONTENT**

MAX 0.02%

0.0180%

%

Sample ID

Tested 10/20/15

Tester LEAT

Recorded 10/20/15

**Lot #** 527403

**Made** 09/30/15

**Quality Manager**