



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: M0246			
MAGNESIUM CHLORIDE HEXAHYDRATE RGNT GR CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	99.0 - 102.0%		99.82%
	%		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
INSOLUBLE MATTER	MAX 0.005%		0.0030%
	%		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
NITRATE (NO3) CONTENT	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
PHOSPHATE CONTENT	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
SULFATE (SO4) CONTENT	MAX 0.002%		<0.002%
	MAX 60 MG/KG		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
Ammonium (NH4)	MAX 0.002%		<0.002%
	NH4		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
BARIUM	MAX 0.005%		PASSES TEST
	BARIUM		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		
CALCIUM CONTENT	MAX 0.01%		<0.01%
	PPM		
Sample ID			
Tested	09/27/23		
Tester	TBUR		
Recorded	09/27/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

MANGANESE (MN) CONTENT	MAX 5 PPM %	<5 PPM
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
POTASSIUM CONTENT	MAX 0.005% PPM	<0.005%
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
SODIUM CONTENT	MAX 0.005% %	<0.005%
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
STRONTIUM CONTENT	MAX 0.005% %	<0.005%
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
HEAVY METAL (AS PB)	MAX 5 PPM PPM	<5 PPM
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
IRON	MAX 5 PPM PPM	<5 PPM
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	06/07/2026
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	06/08/2023
Sample ID		
Tested	09/27/23	
Tester	TBUR	
Recorded	09/27/23	



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 09/27/23 at 2:07 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SHELF LIFE OF PRODUCT

3 YEARS
TIME

3 YEARS

Sample ID

Tested 09/27/23

Tester TBUR

Recorded 09/27/23

Lot # 326311

Made 09/20/23

Quality Manager