



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> B1856			
BENZALKONIUM CHLORIDE 50wt% (440 LBS/DR)			
Test	Target/UOM	Range	Result
<b>APPEARANCE AND COLOR</b>	COLORLESS TO LIGHT YELLOW APPEARANCE		CLEAR COLORLESS
Sample ID			
Tested	12/05/23		
Tester	SNEL		
Recorded	12/05/23		
<b>FORM</b>	SOLUTION FORM		SOLUTION
Sample ID			
Tested	12/05/23		
Tester	SNEL		
Recorded	12/05/23		
<b>Argentometric Titration Assay</b>	50 ASSAY W/W%	49 - 52	50
Sample ID			
Tested	12/05/23		
Tester	SNEL		
Recorded	12/05/23		
<b>Ph 10% Solution in water</b>	7 PH	6 - 9	7
Sample ID			
Tested	12/05/23		
Tester	SNEL		
Recorded	12/05/23		
<b>Impurity</b>	<=2% FREE AMINE + AMINE HCL VARIABLE		1% FREE AMINE + AMINE HCL
Sample ID			
Tested	12/05/23		
Tester	SNEL		
Recorded	12/05/23		
<b>Lot #</b>	318443		
<b>Made</b>	07/03/23		

**Quality Manager**