



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P7114			
POTASSIUM THIOCYANATE REAG ACS CRYST			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 98.5%		98.83%
	%		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
PH OF A 5% SOLUTION	5.3 - 8.7 AT 25 DEG C		7.49
	PH		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
CHLORIDE CONTENT	MAX 0.005%		<0.001%
	PPM		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
SULFATE (SO4) CONTENT	MAX 0.005%		<0.005%
	MAX 60 MG/KG		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
Ammonium (NH4)	MAX 0.003%		<0.003%
	NH4		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
HEAVY METAL (AS PB)	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
IRON	MAX 2 PPM		<2 PPM
	PPM		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		
SODIUM CONTENT	MAX 0.005%		0.0026%
	%		
Sample ID			
Tested	01/03/24		
Tester	TBUR		
Recorded	01/03/24		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

IODINE-CONSUMING SUBSTANCES	PASSES TEST	PASSES TEST
Sample ID Tested 01/03/24 Tester TBUR Recorded 01/03/24	%	
INSOLUBLE IN WATER	MAX 0.005%	0.003%
Sample ID Tested 01/03/24 Tester TBUR Recorded 01/03/24	%	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	07/31/2026
Sample ID Tested 01/03/24 Tester TBUR Recorded 01/03/24		
Lot # 335303		
Made 12/27/23		

Quality Manager