



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P2569			
POLYETHYLENE GLYCOL 200			
Test	Target/UOM	Range	Result
APPEARANCE AND COLOR			
	CLEAR COLORLESS LIQUID		CLEAR COLOURLESS LIQUID
	APPEARANCE		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
WATER (BY KARL FISHER)			
	0.13%		0.13%
	%		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
REFRACTIVE INDEX			
	1.4605 @20°C		1.4604 @20 DEG C
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
Actual pH/temp of product			
	5.7 (5% IN WATER @25°C)		5.6 (5% IN WATER @25 DEG C)
	PH/TEMP		C)
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
IDENTIFICATION (FTIR)			
	CONFORMS		CONFORMS
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
MOLECULAR WEIGHT			
	200		202
	MOL. WT.		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
Lot #	406704		
Made	03/07/24		

Richard [Signature]

Quality Manager