



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Test	Target/UOM	Range	Result
<b>Packaged Product:</b> C3605 CHLOROFORM REAGENT ACS (ETHANOL STABILIZED)			
<b>ASSAY OF MATERIAL</b>	>= 99.8% %		99.99%
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.001% RESEVAP		<0.0001%
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>APHA COLOR</b>	10 UNITS APHA	0 - 10	10
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>ACETONE AND ALDEHYDE</b>	PASSES TEST ACETON		PASSES TEST
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>ACIDITY</b>	PASSES TEST ML		PASSES TEST
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>FREE CHLORINE (CL)</b>	PASSES TEST PPM		PASSES TEST
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>LEAD (PB) CONTENT</b>	MAX PPM 0.05 MG/L		<0.05 PPM
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			
<b>SUBSTANCES DARKENED BY SULFURIC ACID</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 01/24/24			
Tester TBUR			
Recorded 01/24/24			

