



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S3350			
SODIUM OXALATE REAGENT ACS POWDER			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.75%
	%		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
INSOLUBLE MATTER	MAX 0.005%		0.001%
	%		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
LOSS ON DRYING	MAX 0.01%		<0.002%
	%		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
NEUTRALITY	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
CHLORIDE CONTENT	MAX 0.002%		0.001%
	PPM		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
SULFATE (SO4) CONTENT	MAX 0.002%		0.0012%
	MAX 60 MG/KG		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
Ammonium (NH4)	MAX 0.002%		0.0010%
	NH4		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		
HEAVY METAL (AS PB)	MAX 0.002%		0.0016%
	PPM		
Sample ID			
Tested	09/12/23		
Tester	TBUR		
Recorded	09/12/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

IRON	MAX 0.001% PPM	0.0004%
Sample ID		
Tested	09/12/23	
Tester	TBUR	
Recorded	09/12/23	
POTASSIUM CONTENT	MAX 0.005% PPM	0.004%
Sample ID		
Tested	09/12/23	
Tester	TBUR	
Recorded	09/12/23	
SUBSTANCES DARKENED BY SULFURIC ACID	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested	09/12/23	
Tester	TBUR	
Recorded	09/12/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	09/01/2019
Sample ID		
Tested	09/12/23	
Tester	TBUR	
Recorded	09/12/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	08/31/2025
Sample ID		
Tested	09/12/23	
Tester	TBUR	
Recorded	09/12/23	
SHELF LIFE OF PRODUCT	8 YEARS TIME	6 YEARS
Sample ID		
Tested	09/12/23	
Tester	TBUR	
Recorded	09/12/23	

Lot # 325408

Made 09/11/23

Quality Manager