



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: SPX031			
SODIUM ACETATE, TRIHYDRATE ACS (500G) (SPECIAL) (1.06267.0500)			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	99.0-101.0%		100.0%
	%		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
Insoluble matter	<= 0.005%		<0.005%
	%		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
PH OF A 5% SOLUTION	7.5-9.0		8.6%
	PH		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
CHLORIDE CONTENT	<= 0.0005%		<0.0005%
	PPM		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
PHOSPHATE CONTENT	<= 0.0002%		<0.0002%
	PPM		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
SULFATE (SO4) CONTENT	<= 0.002%		<0.002%
	MAX 60 MG/KG		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
HEAVY METALS (AS LEAD)	<= 0.0005%		<0.0005%
	PPM		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		
CALCIUM CONTENT	<= 0.001%		<0.001%
	PPM		
Sample ID			
Tested	10/04/23		
Tester	TBUR		
Recorded	10/04/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

IRON	<= 0.0005% PPM	<0.0005%
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	
POTASSIUM CONTENT	<= 0.005% PPM	<0.005%
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	
MAGNESIUM (MG) CONTENT	<= 0.0005% PPM	<0.0005%
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	
SUBSTANCES REDUCING PERMANGANATE	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	10/31/2024
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	11/09/2022
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	
SHELF LIFE OF PRODUCT	2 YEARS TIME	2 YEARS
Sample ID		
Tested	10/04/23	
Tester	TBUR	
Recorded	10/04/23	

Lot # 327620

Made 10/03/23



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 10/04/23 at 12:28 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager