



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Packaged Product:** I7612-4L  
 ISOPROPYL ALCOHOL LAB GRADE 99%(4L plastic)  
  
**Lot #** 314411

**Chemical Product:** I7600  
 ISOPROPYL ALCOHOL REAGENT ACS

Test	Target/UOM	Range	Result
<b>ACETONE %</b>	<=0.002 %		0.002%
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		
<b>ASSAY OF MATERIAL</b>	>= 99.5% %		99.9%
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		
<b>COLOR</b>	MAX 10 APHA PT-CO		5 APHA
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		
<b>SOLUBILITY</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		
<b>WATER CONTENT</b>	MAX 0.2% %		0.03%
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		
<b>TITRABLE ACID</b>	MAX 0.0001 MEQ/G T ACID		0.0001 MEQ/G
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		
<b>TITRABLE BASE</b>	MAX 0.0001 MEQ/G T BASE		0.0001 MEQ/G
Sample ID			
Tested	05/25/23		
Tester	TBUR		
Recorded	05/25/23		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)


**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	10/30/27
Sample ID		
Tested	05/25/23	
Tester	TBUR	
Recorded	05/25/23	
<b>SHELF LIFE OF PRODUCT</b>	<b>SHELF LIFE</b>	<b>5 YEARS</b>
	TIME	
Sample ID		
Tested	05/25/23	
Tester	TBUR	
Recorded	05/25/23	
<b>MANUFACTURE DATE</b>	<b>MM/DD/YY</b>	<b>10/22/22</b>
	<b>MM/DD/YYYY</b>	
Sample ID		
Tested	05/25/23	
Tester	TBUR	
Recorded	05/25/23	
<b>Made</b>	05/24/23	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



**Quality Manager**