



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A4240			
ALUMINUM SULFATE REAGENT ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	98.0 - 102.0%		100.86%
	%		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
INSOLUBLE MATTER	MAX 0.01%		0.004%
	%		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
CHLORIDE CONTENT	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
HEAVY METAL (AS PB)	MAX 0.001%		PASSES TEST
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
IRON	MAX 0.002%		PASSES TEST
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
CALCIUM CONTENT	MAX 0.01%		0.0014%
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
MAGNESIUM (MG) CONTENT	MAX 0.002%		0.0003%
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		
POTASSIUM CONTENT	MAX 0.005%		0.0014%
	PPM		
Sample ID			
Tested	05/12/23		
Tester	TBUR		
Recorded	05/12/23		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SODIUM CONTENT	MAX 0.02%	0.012%
	%	
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
EXPIRATION DATE	MM/DD/YY	09/30/27
	MM/DD/YYYY	
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
SHELF LIFE OF PRODUCT	SHELF LIFE	5 YEARS
	TIME	
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
MANUFACTURE DATE	MM/DD/YY	10/03/22
	MM/DD/YYYY	
Sample ID		
Tested	05/12/23	
Tester	TBUR	
Recorded	05/12/23	
Lot #	312404	
Made	05/04/23	

Quality Manager