



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C9125			
CYCLOHEXANONE 99.8%			
Test	Target/UOM	Range	Result
Cyclohexanone Content	MIN 99.80%		99.9%
	%		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
PERCENT WATER	0.01	0.00 - 0.10	0.01
	%		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
CYCLOHEXANOL	MAX 0.10%		0.03%
	CYCLO		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
ACIDITY AS ACETIC ACID	MAX 0.01%		0.003%
	WT%		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
COLOR	MAX 5 APHA		<5
	PT-CO		
Sample ID			
Tested	01/22/24		
Tester	TBUR		
Recorded	01/22/24		
Lot #	334109		
Made	12/07/23		

Richard [Signature]

Quality Manager