



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> S0620			
SALICYLIC ACID REAGENT ACS			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 99.0%		100.1%
	%		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>RESIDUE AFTER IGNITION</b>	MAX 0.01%		0.01%
	%		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>MELTING POINT</b>	158.0 - 161.0 DEG C		159.4 DEG C
	DEG		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>CHLORIDE CONTENT</b>	MAX 0.001%		<0.001%
	PPM		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>HEAVY METAL (AS PB)</b>	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>SULFATE (SO4) CONTENT</b>	MAX 0.003%		<0.003%
	MAX 60 MG/KG		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>IRON</b>	MAX 2 PPM		<2 PPM
	PPM		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		
<b>SUBSTANCES DARKENED BY SULFURIC ACID</b>	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	07/20/23		
Tester	TBUR		
Recorded	07/20/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 07/20/23 at 1:24 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

EXPIRATION DATE

MM/DD/YY  
MM/DD/YYYY

03/10/26

Sample ID

Tested 07/20/23

Tester TBUR

Recorded 07/20/23

**Lot #** 319906

**Made** 07/18/23

**Quality Manager**