



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: S2920			
SODIUM GLUCONATE FCC (SPECIAL BRAND)			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	99.0 - 101.0 %		99.7%
Sample ID			
Tested 08/11/23			
Tester TBUR			
Recorded 08/11/23			
PH VALUE	5.5 - 7.5 PH		7.0
Sample ID			
Tested 08/11/23			
Tester TBUR			
Recorded 08/11/23			
IDENTIFICATION	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested 08/11/23			
Tester TBUR			
Recorded 08/11/23			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		07/31/25
Sample ID			
Tested 08/11/23			
Tester TBUR			
Recorded 08/11/23			
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY		07/31/22
Sample ID			
Tested 08/11/23			
Tester TBUR			
Recorded 08/11/23			
SHELF LIFE OF PRODUCT	3 YEARS TIME		3 YEARS
Sample ID			
Tested 08/11/23			
Tester TBUR			
Recorded 08/11/23			
Lot # 322106			
Made 08/09/23			



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 08/11/23 at 9:44 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager