

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO # :

Packaged Product	D4771			
5		YLAMINE 99.5% (319LBS	S/DRUM)	
Test		Target/UOM	Range	Result
PURITY, WT%		>/= 99.5%	-	99.91%
		% W/W		
Sample ID	0547/00			
Tested Tester	05/17/23 TBUR			
Recorded	05/17/23			
WATER CONTENT	03/17/23	<0.1%		0.010%
WATER CONTERT		%		0.01078
Sample ID		,,,		
Tested	05/17/23			
Tester	TBUR			
Recorded	05/17/23			
COLOR		= 15</td <td></td> <td>4 APHA</td>		4 APHA
		PT-CO		
Sample ID				
Tested	05/17/23			
Tester	TBUR			
Recorded	05/17/23			
MONOETHANOLAMINE		= 0.1%</td <td></td> <td><0.0030%</td>		<0.0030%
		%		
Sample ID				
Tested	05/17/23			
Tester	TBUR			
Recorded	05/17/23			
N-ISOPROPYLIDENE-IS	SOPROPYLA	=0.1%</td <td></td> <td>0.0150%</td>		0.0150%
MINE		%		
Sample ID				
Tested	05/17/23			
Tester	TBUR			
Recorded	05/17/23			
ACETONE %		=0.10%</td <td></td> <td><0.0030%</td>		<0.0030%
		%		
Sample ID				
Tested	05/17/23			
Tester	TBUR			
Recorded	05/17/23			0.00000/
ISOPROPANOL		=0.2% WT</td <td></td> <td><0.0030%</td>		<0.0030%
		%		
Sample ID	05/17/00			
Tested	05/17/23			
Tester Recorded	TBUR 05/17/23			
FREE FROM SUSPEND		OK		ОК
THEE THOM SUSPEND		PASS		UK UK
Sample ID		1 400		
Tested	05/17/23			
Tester	TBUR			
Recorded	05/17/23			
10001404				



Page: 2 Date: 05/17/23 at 9:32 AM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO # :

Lot # 313601 Made 05/16/23

hichard Stol

Quality Manager