



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C2372			
CERIC AMMONIUM NITRATE REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 98.5%		99.6%
	%		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
CHLORIDE CONTENT	MAX = 0.01%		<0.01%
	PPM		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
PHOSPHATE CONTENT	MAX 0.02%		<0.02%
	PPM		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
IRON	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
INSOLUBLE IN DILUTE SULFURIC ACID	MAX 0.05%		<0.05%
	%		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
EXPIRATION DATE	MM/DD/YY		07/28/2025
	MM/DD/YYYY		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
SHELF LIFE OF PRODUCT	SHELF LIFE		2 YEARS
	TIME		
Sample ID			
Tested	01/10/24		
Tester	TBUR		
Recorded	01/10/24		
Lot #	332411		
Made	11/20/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536

Website: www.aquasolutions.org

Page: 2

Date: 01/10/24 at 4:41 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager