



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Test	Target/UOM	Range	Result
Packaged Product: S6390 STRONTIUM NITRATE REAGENT ACS CRYST			
ASSAY OF MATERIAL	>= 99.0% %		99.53%
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
pH of 5% solution @ 25 C	6.000 PH	5.000 - 7.000	6.530
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
Loss on Drying @105°C	0.100 %	0.000 - 0.100	0.020
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
PERCENT CHLORIDE	0.0020 % CL	0.0000 - 0.0020	0.0010
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
PERCENT SO4	MAX 0.005% %SO4		<0.002%
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
PERCENT BARIUM (BA)	MAX 0.05% %BA		0.025%
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
PERCENT CALCIUM (CA)	MAX 0.05% %CA		0.03%
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			
PERCENT MAGNESIUM (MG)	MAX 0.1% %MG		0.01%
Sample ID			
Tested 08/28/23			
Tester TBUR			
Recorded 08/28/23			



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

PERCENT SODIUM	MAX 0.10%		0.02%
	%NA		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		
PPM HEAVY METALS (AS PB)	MAX 5 PPM		2.5 PPM
	PPM		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		
ACTUAL PPM IRON	5.000	0.000 - 5.000	1.500
	PPM		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		
INSOLUBLE MATTER	MAX 0.01%		<0.005%
	%		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		
EXPIRATION DATE	MM/DD/YY		10/31/2027
	MM/DD/YYYY		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		
SHELF LIFE OF PRODUCT	SHELF LIFE		5 YEARS
	TIME		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		
MANUFACTURE DATE	MM/DD/YY		11/11/2022
	MM/DD/YYYY		
Sample ID			
Tested	08/28/23		
Tester	TBUR		
Recorded	08/28/23		

Lot # 323611
Made 08/24/23



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 3

Date: 08/28/23 at 12:51 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager