



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: H3695			
HYDROXYLAMINE HYDROCHLORIDE ACS, FOR MERCURY ANALYSIS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>=96%		99%
	%		
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
APPEARANCE	WHITE CRYSTALS		PASS TEST
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
RESIDUE OF IGNITION	<=0.05%		<0.05%
	RESIDUE IG		
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
TITRATABLE FREE ACID	<=0.25 MEQ/G		<0.25 MEQ/G
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
CLARITY OF ALCOHOL SOLN	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
Ammonium (NH4)	PASSES TEST		PASSES TEST
	NH4		
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
EXPIRATION DATE	MM/DD/YY		06/23/27
	MM/DD/YYYY		
Sample ID			
Tested	03/02/23		
Tester	TBUR		
Recorded	03/02/23		
Lot #	306001		
Made	03/01/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 03/02/23 at 4:32 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager