



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> D4645			
DICHLOROMETHANE ULTRA RESI-ANALYZED			
Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	MIN 99.8%		100.0%
	%		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>COLOR</b>	MAX 10 APHA		5 APHA
	PT-CO		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>TITRABLE ACID</b>	MAX 0.3 UEQ/G		<0.1 UEQ/G
	T ACID		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>CHLORIDE CONTENT</b>	MAX 10 PPM		<5 PPM
	PPM		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>WATER CONTENT</b>	MAX 0.02%		<0.01%
	%		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 1 PPM		0.4 PPM
	RESEVAP		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>FID-SENSITIVE IMPURITIES (AS 2-OCTANOL)</b>	MAX 5 NG/ML		4 NG/ML
	NG/ML		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		
<b>ECD SENSITIVE IMPURITIES</b>	MAX 10 PG/ML		1 PG/ML
	PG/ML		
Sample ID			
Tested	01/12/24		
Tester	TBUR		
Recorded	01/12/24		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>MANUFACTURE DATE</b>	MM/DD/YY MM/DD/YYYY	08/16/2023
Sample ID		
Tested	01/12/24	
Tester	TBUR	
Recorded	01/12/24	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	11/16/2024
Sample ID		
Tested	01/12/24	
Tester	TBUR	
Recorded	01/12/24	
<b>SHELF LIFE OF PRODUCT</b>	1 YEAR TIME	1 YEAR
Sample ID		
Tested	01/12/24	
Tester	TBUR	
Recorded	01/12/24	
<b>Lot #</b>	333925	
<b>Made</b>	12/05/23	

**Quality Manager**