



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

**Packaged Product:** P9162-500ML  
 PYRIDINE PURIFIED 99%

**Lot #** 302709

**Chemical Product:** P9161  
 PYRIDINE REAGENT ACS

Test	Target/UOM	Range	Result
<b>ASSAY OF MATERIAL</b>	>= 99.0% %		>99.99%
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		
<b>SOLUBILITY</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		
<b>WATER CONTENT</b>	MAX 0.1% %		0.027%
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		
<b>CHLORIDE CONTENT</b>	MAX 0.001% PPM		<0.0010%
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		
<b>SULFATE (SO4) CONTENT</b>	MAX 0.001% MAX 60 MG/KG		<0.0010%
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		
<b>Ammonia (NH3)</b>	MAX 0.002% AMMONIA		<0.0020%
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		
<b>COPPER (CU) CONTENT</b>	MAX 5 PPM COPPER		<5 PPM
Sample ID			
Tested	02/03/23		
Tester	TBUR		
Recorded	02/03/23		



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>REDUCING SUBSTANCES</b>	PASSES TEST PASS	PASSES TEST
Sample ID		
Tested 02/03/23		
Tester TBUR		
Recorded 02/03/23		
<b>RESIDUE AFTER EVAPORATION</b>	MAX 0.002%	0.0016%
Sample ID		
Tested 02/03/23		
Tester TBUR		
Recorded 02/03/23		
<b>MANUFACTURE DATE</b>	MM/DD/YYYY	01/12/2023
Sample ID		
Tested 02/03/23		
Tester TBUR		
Recorded 02/03/23		
<b>Made</b> 01/27/23		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**