



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P4716			
POTASSIUM IODIDE REAGENT ACS GRANULAR			
Test	Target/UOM	Range	Result
PHOSPHATE (PO4) PERCENT	MAX 0.001%		<0.001%
	%		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
INSOLUBLE MATTER	MAX 0.005%		0.004%
	%		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
PH OF A 5% SOLUTION	8.000	6.000 - 9.200	6.600
	PH		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
PHOSPHATE (PO4) PERCENT	MAX 0.001%		<0.001%
	%		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
SULFATE % (SO4)	MAX 0.005%		<0.005%
	%		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
PERCENT BARIUM	MAX 0.002%		<0.002%
	%		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
PPM HEAVY METALS (AS PB)	MAX 5 PPM		<5 PPM
	PPM		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		
PERCENT CALCIUM (CA)	MAX 0.002%		0.00%
	%		
Sample ID			
Tested	02/19/24		
Tester	TBUR		
Recorded	02/19/24		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

PERCENT MAGNESIUM	MAX 0.001% % W/W	0.000%
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
IRON	MAX 3 PPM PPM	<3 PPM
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
SODIUM CONTENT	MAX 0.005% %	0.001%
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
CHLORIDE AND BROMIDE	MAX 0.01% CHLOR/BROM	<0.01%
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
ASSAY OF MATERIAL	> = 99.0% %	99.6%
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
IODATE (IO3)	MAX 3 PPM PPM	<0.5 PPM
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
LOSS ON DRYING	MAX 0.2% %	0.1%
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	02/08/2027
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	02/08/2024
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	3 YEARS
Sample ID		
Tested	02/19/24	
Tester	TBUR	
Recorded	02/19/24	
Lot #	404704	
Made	02/16/24	

Quality Manager