

Customer PO # :

| Packaged Product | N3805-2 | 2.5L | | |
|-------------------------------|------------------|-------------------------|-------------------|-------------|
| | | ACID 68-70% REAGENT ACS | (2.5L) (NX0409-2) | |
| Test | | Target/UOM | Range | Result |
| APPEARANCE AND CO | LOR | TO PASS TEST | <u>v</u> | PASS |
| | | APPEARANCE | | |
| Sample ID | | | | |
| Tested | 03/19/24 | | | |
| Tester | TBUR | | | |
| Recorded ASSAY OF MATERIAL | 03/19/24 | | | 69.92% |
| ASSAT OF MATERIAL | | 68.0% - 70.0% | | 69.92% |
| O | | % | | |
| Sample ID | 00/10/04 | | | |
| Tested | 03/19/24 | | | |
| Tester | TBUR | | | |
| Recorded COLOR | 03/19/24 | MAX 10 APHA | | <10 APHA |
| COLON | | PT-CO | | |
| Comple ID | | FT-OO | | |
| Sample ID | 00/10/01 | | | |
| Tested | 03/19/24 | | | |
| Tester Recorded | TBUR 03/19/24 | | | |
| RESIDUE OF IGNITION | | MAX 5 PPM | | <5 PPM |
| RESIDUE OF IGNITION | | RESIDUE IG | | <311 M |
| Comple ID | | RESIDUE IG | | |
| Sample ID Tested | 00/10/04 | | | |
| | 03/19/24 | | | |
| Tester Recorded | TBUR 03/19/24 | | | |
| CHLORIDE CONTENT | 03/19/24 | MAX 0.5 PPM | | <0.5 PPM |
| CHEORIDE CONTENT | | PPM | | <0.5 F F WI |
| Sample ID | | | | |
| Tested | 03/19/24 | | | |
| Tester | TBUR | | | |
| Recorded | 03/19/24 | | | |
| PHOSPHATE CONTEN | г | MAX 0.2 PPM | | <0.2 PPM |
| | | PPM | | |
| Sample ID | | | | |
| Tested | 03/19/24 | | | |
| Tester | TBUR | | | |
| Recorded | 03/19/24 | | | |
| SULFATE (SO4) CONTI | ENT | MAX 1 PPM | | <1 PPM |
| | | MAX 60 MG/KG | | |
| Sample ID | | | | |
| Tested | 03/19/24 | | | |
| Tester | TBUR | | | |
| Recorded | 03/19/24 | | | |
| ALUMINUM (AL) CONTENT | | MAX 0.2 PPM | | 0.004 PPM |
| Sample ID | | | | |
| Tested | 03/19/24 | | | |
| Tester | TBUR | | | |
| Recorded | 03/19/24 | | | |



Customer PO # :

| ARSENIC CONTENT | | | MAX 0.01 PPM | <0.01 PPM |
|-----------------|-----------|----------|--------------------|-----------|
| | | | ARSENIC | |
| S | ample ID | | | |
| | - | 03/19/24 | | |
| Т | | TBUR | | |
| R | ecorded | 03/19/24 | | |
| CALCIUM CO | | | MAX 0.2 PPM | 0.019 PPM |
| | | | PPM | |
| s | ample ID | | | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| CHROMIUM C | | 00,10,21 | MAX 0.1 PPM | 0.001 PPM |
| | •••• | | PPM | |
| <u>s</u> | ample ID | | | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| COPPER (CU) | | | MAX 0.05 PPM | 0.001 PPM |
| | SOUL | | COPPER | 0.0011110 |
| 0 | ample ID | | oon En | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| GOLD (AU) | lecorded | 03/19/24 | MAX 0.3 PPM | 0.001 PPM |
| GOLD (AU) | | | GOLD | 0.001 FFM |
| | | | GOED | |
| | ample ID | 00/10/04 | | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| HEAVY META | L (AS PB) | | MAX 0.2 PPM PPM | <0.2 PPM |
| 2 | ample ID | | | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| IRON | | 00,10/27 | MAX 0.2 PPM | 0.006 PPM |
| | | | PPM | 0.0001110 |
| c | ample ID | | | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| LEAD (PB) CO | | 00/13/24 | MAX 0.1 PPM | 0.001 PPM |
| LEAD (PD) CU | | | MG/L | |
| 2 | ample ID | | | |
| | | 03/19/24 | | |
| | | TBUR | | |
| | | 03/19/24 | | |
| | COULEU | 00/10/24 | | |



Customer PO # :

| MAGNESIUM (MG) CONTENT | | MAX 0.3 PPM | 0.001 PPM |
|------------------------|------------------|--------------|------------|
| | | PPM | |
| Sample ID | | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | |
| MANGANESE (MN) CONTENT | | MAX 0.2 PPM | 0.001 PPM |
| | | % | |
| Sample ID | | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | |
| MERCURY (HG) CONTE | NT | MAX 5 PPB | <5 PPB |
| | | PPM | |
| Sample ID | | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | |
| NICKEL (NI) CONTENT | | MAX 0.05 PPM | 0.001 PPM |
| | | NICKEL | |
| Sample ID | | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | |
| POTASSIUM CONTENT | | MAX 0.5 PPM | 0.001 PPM |
| | | PPM | |
| Sample ID | | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | |
| SODIUM CONTENT | 00/10/24 | MAX 0.5 PPM | 0.004 PPM |
| SODIOM CONTENT | | % | 0.004111 |
| Sample ID | | /0 | |
| Tested | 00/10/04 | | |
| Tester | 03/19/24 TBUR | | |
| Recorded | 03/19/24 | | |
| | 00/19/24 | MAX 0.3 PPM | 0.001 PPM |
| TIN (SN) CONTENT | | PPM | 0.001 FPM |
| Ormala ID | | FFIVI | |
| Sample ID | 00/10/01 | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | 0.004 0014 |
| TITANIUM (TI) CONTENT | | MAX 0.3 PPM | 0.001 PPM |
| | | PPM | |
| Sample ID | | | |
| Tested | 03/19/24 | | |
| Tester | TBUR | | |
| Recorded | 03/19/24 | | |
| | | | |



Customer PO # :

| ZINC (ZN) CONTENT | MAX 0.3 PPM PPM | 0.001 PPM |
|-----------------------------|------------------------------|-----------|
| Tester | 03/19/24 TBUR 03/19/24 | |
| Lot # 407802 Made 03/18, | 2 | |

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

hichard Stol

Quality Manager