

Customer PO # :

Packaged Product:	N3805-2	2.5L		
		ACID 68-70% REAGENT ACS	(2.5L) (NX0409-2)	
Test		Target/UOM	Range	Result
APPEARANCE AND CO	LOR	TO PASS TEST	.	PASS
		APPEARANCE		
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			
ASSAY OF MATERIAL		68.0% - 70.0%		69.92%
		%		
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			
COLOR		MAX 10 APHA		<10 APHA
		PT-CO		
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			
RESIDUE OF IGNITION	02,00,21	MAX 5 PPM		<5 PPM
		RESIDUE IG		
Sample ID				
Tested	02/08/24			
Tester Recorded	TBUR 02/08/24			
	02/06/24	MAX 0.5 PPM		<0.5 PPM
CHLORIDE CONTENT				<0.5 PPM
		PPM		
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			
PHOSPHATE CONTENT		MAX 0.2 PPM		<0.2 PPM
		PPM		
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			
SULFATE (SO4) CONTE	NT	MAX 1 PPM		<1 PPM
		MAX 60 MG/KG		
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			
ALUMINUM (AL) CONTE		MAX 0.2 PPM		0.004 PPM
Sample ID				
Tested	02/08/24			
Tester	TBUR			
Recorded	02/08/24			



Customer PO # :

ARSENIC CONTI	ENT			<0.01 PPM
			ARSENIC	
Sam	nple ID			
Test	ted (02/08/24		
Test	ter -	TBUR		
Rec	orded (02/08/24		
CALCIUM CONT	ENT		MAX 0.2 PPM	0.019 PPM
			PPM	
Sam	nple ID			
Test		02/08/24		
Test		TBUR		
		02/08/24		
CHROMIUM CON			MAX 0.1 PPM	0.001 PPM
			PPM	
Sam	nple ID			
Test		02/08/24		
Test		TBUR		
		02/08/24		
COPPER (CU) CO			MAX 0.05 PPM	0.001 PPM
			COPPER	0.0011110
Som	nple ID		Soft Eff	
Test		00/00/04		
		02/08/24		
Test		TBUR		
	orded (02/08/24		
GOLD (AU)				0.001 PPM
_			GOLD	
	nple ID			
Test		02/08/24		
Test		TBUR		
		02/08/24		
HEAVY METAL (AS PB)		MAX 0.2 PPM	<0.2 PPM
			PPM	
	nple ID			
Test	ted (02/08/24		
Test	ter	TBUR		
Rec	orded (02/08/24		
IRON			MAX 0.2 PPM	0.006 PPM
			PPM	
Sam	nple ID			
Test		02/08/24		
Test		TBUR		
		02/08/24		
LEAD (PB) CONT			MAX 0.1 PPM	0.001 PPM
, , - , - , - , - , - , - , - , - , - ,			MG/L	
Sam	nple ID			
Test		02/08/24		
Test		TBUR		
)2/08/24		
Hec		02/00/24		



Customer PO # :

TENT	MAX 0.3 PPM	0.001 PPM
	PPM	
02/08/24		
TBUR		
02/08/24		
TENT	MAX 0.2 PPM	0.001 PPM
	%	
02/08/24		
TBUR		
02/08/24		
Т	MAX 5 PPB	<5 PPB
	PPM	
02/08/24		
TBUR		
02/08/24		
	MAX 0.05 PPM	0.001 PPM
	NICKEL	
02/08/24		
TBUR		
02/08/24		
	MAX 0.5 PPM	0.001 PPM
	PPM	
02/08/24		
02/08/24		
	MAX 0.5 PPM	0.004 PPM
	%	
02/08/24		
	MAX 0.3 PPM	0.001 PPM
02/08/24		
	MAX 0.3 PPM	0.001 PPM
02/08/24		
02/00/24		
	02/08/24 TBUR 02/08/24 TENT 02/08/24 TBUR 02/08/24 NT 02/08/24 TBUR 02/08/24 TBUR 02/08/24 TBUR 02/08/24 TBUR	РРМ 02/08/24 ТВИК 02/08/24 TENT MAX 0.2 РРМ % 02/08/24 TBUR 02/08/24 TBUR 02/08/24 MAX 5 РРВ РРМ 02/08/24 TBUR 02/08/24 MAX 0.05 РРМ NICKEL 02/08/24 TBUR 02/08/24 MAX 0.5 РРМ РРМ 02/08/24 TBUR 02/08/24 MAX 0.5 РРМ РРМ 02/08/24 TBUR 02/08/24 MAX 0.5 РРМ РРМ 02/08/24 TBUR 02/08/24 MAX 0.5 РРМ РРМ 02/08/24 TBUR 02/08/24 MAX 0.3 РРМ РРМ 02/08/24 TBUR 02/08/24 MAX 0.3 РРМ РРМ



Customer PO # :

ZINC (ZN) CONTENT	MAX 0.3 PPM PPM	0.001 PPM
Tester	02/08/24 TBUR 02/08/24	
Lot # 403703 Made 02/06		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

hichard Stol

Quality Manager