



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4332			
DIBUTYLAMINE 99% (JT BAKER#G680-09)			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	MIN 99%		100%
	%		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
REFRACTIVE INDEX	1.4150	1.4150 - 1.4190	1.4170
	REFRACTIVE INDE		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
MANUFACTURE DATE	MM/DD/YY		07/20/2023
	MM/DD/YYYY		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
RECOMMENDED RETEST DATE	MM/DD/YY		07/18/2030
	MM/DD/YYYY		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
SHELF LIFE OF PRODUCT	SHELF LIFE		7 YEARS
	TIME		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
Lot #	334904		
Made	12/15/23		

Richard [Signature]
Quality Manager