



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C8627			
CUPRIC CHLORIDE REAG ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		99.08%
	%		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
INSOLUBLE MATTER	MAX 0.01%		0.006%
	%		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
SULFATE (SO4) CONTENT	MAX 0.005%		<0.005%
	MAX 60 MG/KG		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
CALCIUM CONTENT	MAX 0.005%		0.0046%
	PPM		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
IRON	MAX 0.005%		0.0044%
	PPM		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
NICKEL (NI) CONTENT	MAX 0.01%		0.0011%
	NICKEL		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
POTASSIUM CONTENT	MAX 0.01%		0.0026%
	PPM		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		
SODIUM CONTENT	MAX 0.02%		0.0088%
	%		
Sample ID			
Tested	07/21/23		
Tester	TBUR		
Recorded	07/21/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 07/21/23 at 1:58 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Lot #	320106
Made	07/20/23

Quality Manager