



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: I7600			
ISOPROPYL ALCOHOL REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.96%
	%		
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
COLOR	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
SOLUBILITY	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
WATER CONTENT	MAX 0.2%		0.016%
	%		
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
RESIDUE AFTER EVAPORATION	< = 0.001%		<0.0001%
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
CARBONYL AS PROPRIONALDEHYDE%	<= 0.002 WT%		<0.002%
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
TITRABLE ACID	MAX 0.0001 MEQ/G T ACID		<0.00001 MEQ/G
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		
TITRABLE BASE	MAX 0.0001 MEQ/G T BASE		0.00008 MEQ/G
Sample ID			
Tested	11/17/23		
Tester	TBUR		
Recorded	11/17/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 11/17/23 at 10:53 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

MANUFACTURE DATE	MM/DD/YY	10/24/2023
	MM/DD/YYYY	
Sample ID		
Tested	11/17/23	
Tester	TBUR	
Recorded	11/17/23	
Lot #	331709	
Made	11/13/23	

Quality Manager