



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

| Packaged Product: S2675 | | | |
|-------------------------------------|-----------------------|-------|----------|
| SODIUM CHLORIDE REAGENT ACS CRYSTAL | | | |
| Test | Target/UOM | Range | Result |
| ASSAY OF MATERIAL | >= 99.0% | | 100.0% |
| | % | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| PH OF A 5% SOLUTION | 5.0 - 9.0 AT 25 DEG C | | 6.4 |
| | PH | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| INSOLUBLE MATTER | MAX 0.005% | | 0.0020% |
| | % | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| IODIDE | MAX 0.002% | | <0.0020% |
| | PPM | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| BROMIDE (BR) | MAX 0.01% | | <0.010% |
| | PPM | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| PHOSPHATE CONTENT | MAX 5 PPM | | <5 PPM |
| | PPM | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| SULFATE (SO4) CONTENT | MAX 0.004% | | <0.0040% |
| | MAX 60 MG/KG | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |
| BARIUM | PASSES TEST | | PASS |
| | BARIUM | | |
| Sample ID | | | |
| Tested | 05/16/24 | | |
| Tester | TBUR | | |
| Recorded | 05/16/24 | | |



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

| | | |
|-------------------------------|-------------------|----------|
| HEAVY METAL (AS PB) | MAX 5 PPM PPM | <5.0 PPM |
| Sample ID | | |
| Tested | 05/16/24 | |
| Tester | TBUR | |
| Recorded | 05/16/24 | |
| IRON | MAX 2 PPM PPM | <2 PPM |
| Sample ID | | |
| Tested | 05/16/24 | |
| Tester | TBUR | |
| Recorded | 05/16/24 | |
| CALCIUM CONTENT | MAX 0.002% PPM | <0.0010% |
| Sample ID | | |
| Tested | 05/16/24 | |
| Tester | TBUR | |
| Recorded | 05/16/24 | |
| MAGNESIUM (MG) CONTENT | MAX 0.001% PPM | <0.0010% |
| Sample ID | | |
| Tested | 05/16/24 | |
| Tester | TBUR | |
| Recorded | 05/16/24 | |
| POTASSIUM CONTENT | MAX 0.005% PPM | 0.0020% |
| Sample ID | | |
| Tested | 05/16/24 | |
| Tester | TBUR | |
| Recorded | 05/16/24 | |

Lot # 413604

Made 05/15/24

Quality Manager