



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: A4249			
4-AMINOANTIPYRINE 98%			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL			
	MIN 98%		98.7%
	%		
Sample ID			
Tested	02/22/24		
Tester	TBUR		
Recorded	02/22/24		
MELTING POINT			
	107-109 DEG C		107.9 DEG C
	DEG C		
Sample ID			
Tested	02/22/24		
Tester	TBUR		
Recorded	02/22/24		
EXPIRATION DATE			
	MM/DD/YY		02/17/2025
	MM/DD/YYYY		
Sample ID			
Tested	02/22/24		
Tester	TBUR		
Recorded	02/22/24		
SHELF LIFE OF PRODUCT			
	SHELF LIFE		3 YEARS
	TIME		
Sample ID			
Tested	02/22/24		
Tester	TBUR		
Recorded	02/22/24		
Lot #	405201		
Made	02/21/24		

Quality Manager