



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product:		A1494	
		ACETONE REAGENT ACS	
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.5%		99.58%
	%		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
SOLUBILITY	PASSES TEST		PASSES TEST
	PASS		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
TITRABLE ACID	MAX 0.0003 MEQ/G		0.00026 MEQ/G
	T ACID		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
TITRABLE BASE	MAX 0.0006 MEQ/G		0.00011 MEQ/G
	T BASE		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
ALDEHYDE (AS HCHO)	MAX 0.002%		0.0002%
	ALDEHYDE		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
SUBSTANCES REDUCING	PASSES TEST		PASSES TEST
PERMANGANATE	PASS		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
%WATER	MAX 0.5%		0.38%
	%WATER		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
ISOPROPYL ALCOHOL	MAX 0.05%		0.0005%
	%		
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569

Certificate of Analysis / QC Results

Customer PO # :

PERCENT METHANOL	MAX 0.05% %MEOH	0.0225%
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	
COLOR	MAX 10 PT-CO	<5 APHA
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	
CONFORMS TO ASTM D329	CONFORMS TO ASTM D329 CONFORMS	CONFORMS TO STANDARD
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	
RESIDUE AFTER EVAPORATION	MAX 0.001%	0.0001%
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY	11/30/2028
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	
SHELF LIFE OF PRODUCT	SHELF LIFE TIME	5 YEARS
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY	11/14/2023
Sample ID		
Tested	12/18/23	
Tester	TBUR	
Recorded	12/18/23	

Lot # 334841

Made 12/14/23



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536

Website: www.aquasolutions.org

Page: 3

Date: 12/18/23 at 10:40 AM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager