



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> H1952			
HEXANES HPLC GRADE (>60% n-HEXANE)			
Test	Target/UOM	Range	Result
N-HEXANE%	> 60% %		70.08%
Sample ID			
Tested	04/03/24		
Tester	TBUR		
Recorded	04/03/24		
<b>TOTAL C7 ISOMERS</b>	99.9+% %		99.99%
Sample ID			
Tested	04/03/24		
Tester	TBUR		
Recorded	04/03/24		
<b>WATER CONTENT</b>	MAX 0.01% %		0.0019%
Sample ID			
Tested	04/03/24		
Tester	TBUR		
Recorded	04/03/24		
<b>UV CUTOFF</b>	< 195 NM NM		189.3 NM
Sample ID			
Tested	04/03/24		
Tester	TBUR		
Recorded	04/03/24		
<b>ELECTRON CAPTURE GC</b>	PASSES TEST ELECTRON		PASSES TEST
Sample ID			
Tested	04/03/24		
Tester	TBUR		
Recorded	04/03/24		
<b>Lot #</b>	409211		
<b>Made</b>	04/03/24		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.