

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results

Customer PO # :

Taal	EDTA dipotassium magnesium salt			D U
Test		Target/UOM MIN 98%	Range	Result 98.1%
ASSAY E7608		WIIN 98%		98.1%
O a market of		%		
Sample II				
Tested	05/09/24			
Tester	TBUR 05/09/24			
Recorded PH OF E7608	05/09/24	8.5-9.5		8.5-9.5
		8.5-9.5		8.5-9.5
Sample II				
Tested	05/09/24			
Tester	TBUR			
Recorded CALCIUM CONTENT	05/09/24	MAX 0.05%		-0.0E9/
		CA		<0.05%
Openal - II	`	UA		
Sample II Tested				
Tested	05/09/24			
Tester Recorded	TBUR			
ron Content	05/09/24	MAX 0.001%		<0.001%
ion content		PPM		<u.uu1 0<="" td=""></u.uu1>
Sample II	`			
Tested				
	05/09/24 TBUR			
Tester Recorded				
PPM HEAVY METALS		MAX 0.001%		<0.001%
	(-3 - 6)	PPM		<u.uu1 0<="" td=""></u.uu1>
Sample II	`			
Tested				
Tested	05/09/24 TBUR			
Recorded				
		MAX 0.005%		<0.005%
		PPM		<0.000 /0
Sample II	`			
Tested	05/09/24			
Tester	05/09/24 TBUR			
Recorded				
SULFATE (SO4) CON		MAX 0.01%		<0.01%
		MAX 60 MG/KG		<0.0176
Sample II	`			
Tested	05/09/24			
Tester	05/09/24 TBUR			
Recorded				
Lot # 4127 Made 05/0				



Page: 2 Date: 05/08/24 at 2:51 PM

Aqua Solutions, Inc. 6913 Highway 225 Deer Park, TX, 77536 281/479-2569 Certificate of Analysis / QC Results Customer PO # :

hichard St

Quality Manager