



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: D4490			
1, 2-DICHLOROETHANE REAGENT ACS			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		>99.99%
	%		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
TITRABLE ACID	MAX 0.0003 MEQ/G		0.00030 MEQ/G
	T ACID		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
WATER CONTENT	MAX 0.03%		0.002%
	%		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
COLOR	10 APHA		<10 APHA
	PT-CO		
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
RESIDUE AFTER EVAPORATION	MAX 0.002%		0.0010%
Sample ID			
Tested	03/12/24		
Tester	TBUR		
Recorded	03/12/24		
Lot #	406605		
Made	03/06/24		

Richard [Signature]

Quality Manager