



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

Packaged Product:		I7600	
		ISOPROPYL ALCOHOL REAGENT ACS	
Test	Target/UOM	Range	Result
<b>ACETONE %</b>	<=0.002 %		<0.002%
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>ASSAY OF MATERIAL</b>	>= 99.5% %		99.94%
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>COLOR</b>	MAX 10 APHA PT-CO		<10 APHA
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>SOLUBILITY</b>	PASSES TEST PASS		PASSES TEST
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>WATER CONTENT</b>	MAX 0.2% %		0.017%
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>RESIDUE AFTER EVAPORATION</b>	< = 0.001%		<0.0001%
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>CARBONYL AS PROPRIONALDEHYDE%</b>	<= 0.002 WT%		<0.002%
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		
<b>TITRABLE ACID</b>	MAX 0.0001 MEQ/G T ACID		0.00009 MEQ/G
Sample ID			
Tested	12/18/23		
Tester	TBUR		
Recorded	12/18/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 12/18/23 at 1:08 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

**TITRABLE BASE**

MAX 0.0001 MEQ/G

<0.00001 MEQ/G

T BASE

Sample ID

Tested 12/18/23

Tester TBUR

Recorded 12/18/23

**MANUFACTURE DATE**

MM/DD/YY

11/17/2023

MM/DD/YYYY

Sample ID

Tested 12/18/23

Tester TBUR

Recorded 12/18/23

**Lot #** 333808

**Made** 12/04/23

**Quality Manager**