



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: C1063			
CALMAGITE INDICATOR			
Test	Target/UOM	Range	Result
LOSS ON DRYING	MAX 12% %		6.29%
Sample ID Tested 10/24/23 Tester TBUR Recorded 10/24/23			
APPEARANCE AND COLOR	DARK GREEN TO BROWN POWDER APPEARANCE		DARK BROWNISH BLACK POWDER
Sample ID Tested 10/24/23 Tester TBUR Recorded 10/24/23			
SUITABILITY FOR MOISTURE ABSORPTION	PASSES TEST PASS		PASSES TEST
Sample ID Tested 10/24/23 Tester TBUR Recorded 10/24/23			
MANUFACTURE DATE	MM/DD/YY MM/DD/YYYY		10/01/2021
Sample ID Tested 10/24/23 Tester TBUR Recorded 10/24/23			
EXPIRATION DATE	MM/DD/YY MM/DD/YYYY		09/30/2027
Sample ID Tested 10/24/23 Tester TBUR Recorded 10/24/23			
SHELF LIFE OF PRODUCT	6 YEARS TIME		6 YEARS
Sample ID Tested 10/24/23 Tester TBUR Recorded 10/24/23			
Lot #	329601		
Made	10/23/23		



Aqua Solutions, Inc.
Ph: 281-479-2569
Fax: 281-479-2790
P.O. Box 70
Deer Park, TX 77536
Website: www.aquasolutions.org

Page: 2

Date: 10/24/23 at 1:04 PM

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Quality Manager