



Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: P3612			
POTASSIUM CHROMATE REAGENT ACS CRYSTAL			
Test	Target/UOM	Range	Result
ASSAY OF MATERIAL	>= 99.0%		99.54%
	%		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
PH OF A 5% SOLUTION	8.6 - 9.8 AT 25 DEG C		9.32
	PH		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
INSOLUBLE MATTER	MAX 0.005%		0.003%
	%		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
CHLORIDE CONTENT	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
SULFATE (SO4) CONTENT	MAX 0.03%		<0.03%
	MAX 60 MG/KG		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
CALCIUM CONTENT	MAX 0.005%		<0.005%
	PPM		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
SODIUM CONTENT	MAX 0.02%		<0.02%
	%		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		
EXPIRATION DATE	MM/DD/YY		02/17/26
	MM/DD/YYYY		
Sample ID			
Tested	03/03/23		
Tester	TBUR		
Recorded	03/03/23		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

SHELF LIFE OF PRODUCT

SHELF LIFE
 TIME

3 YEARS

Sample ID

Tested 03/03/23

Tester TBUR

Recorded 03/03/23

MANUFACTURE DATE

MM/DD/YY
 MM/DD/YYYY

02/18/23

Sample ID

Tested 03/03/23

Tester TBUR

Recorded 03/03/23

Lot # 306102

Made 03/02/23

Quality Manager